




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 128.0, SDBY, PTBL (60 MIN PN)	
12 127	PAPI 3.0° 39FT LIRL	
307 30	PAPI 3.0° 39FT LIRL	



NOTES	
1. FIA FREQ 120.75 AVBL 5,000FT.	

USE QNH

RNP RWY 30

27 NOV 2025

MUNGALALU-TRUSCOTT, WA (YTST)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	490 (310-1.7)			NOT APPLICABLE
LNAV	680 (500-2.8)			
CIRCLING	860 (680-2.4)		900 (720-4.0)	
ALTERNATE	(1180-4.4)		(1220-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: LNAV/VNAV MINIMA, MAG TRACKS.



TSTGN01-185

USE QNH

RNP RWY 12

27 NOV 2025

MUNGALALU-TRUSCOTT, WA (YTST)



NOTES

CATEGORY	A	B	C	D
LNAV	660 (508-2.9)			NOT APPLICABLE
CIRCLING	860 (680-2.4)		900 (720-4.0)	
ALTERNATE	(1180-4.4)		(1220-6.0)	

- MAX IAS:
INITIAL : 210KT.
- PROC OVERLAYS
TROUGHTON ISLAND
(YTTI) RNP RWY 32.

Changes: LNAV MINIMA, MAG TRACKS, Editorial.

TSTGN02-185