


AWIS 122.525	FIA BN CEN 127.1	CTAF+AFRU 126.7	AFRU+PAL 126.7	Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	--------------------	-------------------	--







RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE TWY A & B RL : AFRU+PAL 126.7, SDBY (15 SEC)	
18 182 002 36	PAPI 3.0° 30FT LIRL PAPI 3.0° 30FT LIRL	
09 085 265 27	NIL NIL	

NOTES	
1. AWIS REQUIRES 1 SECOND TRANSMIT PULSE TO ACTIVATE.	

GNSS ARRIVAL PROCEDURES NARRABRI, NSW (YNBR)

23 MAR 2023



Changes: AD ELEV, RWY 09/27.



NBRDG01-174

USE QNH

RNP RWY 36

27 NOV 2025

NARRABRI, NSW (YNBR)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1100 (383-2.1)			NOT APPLICABLE
LNAV	1280 (563-3.2)			
CIRCLING	1650 (868-2.4)		1680 (898-4.0)	
ALTERNATE	(1368-4.4)		(1398-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: WPT NAMING CONVENTION.



NBRGN01-185

USE QNH

NDB RWY 36

21 MAR 2024

NARRABRI, NSW (YNBR)



NOTES

CATEGORY	A	B	C	D
S-I NDB	1630 (913-5.0)			NOT APPLICABLE
CIRCLING	1650 (868-2.4)		1680 (898-4.0)	
ALTERNATE	(1368-4.4)		(1398-6.0)	

1. MAX IAS:
 INITIAL :
 CAT C 210KT.

Changes: D576A & C ADDED, Editorial.

NBRNB01-178