

AD ELEV 23  
21 40 06S 115 06 47E

# AERODROME CHART

## ONSLOW, WA (YOLW)

|                                                                                     |  |                                                                                                                          |  |                   |  |                                                  |  |
|-------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|--------------------------------------------------|--|
| FIA<br>ML CEN 122.4 *                                                               |  | CTAF+AFRU<br>126.6                                                                                                       |  | AFRU+PAL<br>126.6 |  | Bearings are Magnetic<br>Elevations in FEET AMSL |  |
|                                                                                     |  |                                                                                                                          |  |                   |  |                                                  |  |
| RWY                                                                                 |  | <b>AERODROME LIGHTING</b>                                                                                                |  |                   |  |                                                  |  |
|                                                                                     |  | TAXIWAY : BLUE EDGE ON TWY A, D AND B NORTH OF TWY D<br>RL : AFRU+PAL 126.6, SDBY (35 SEC), PTBL (EMERG ONLY, 60 MIN PN) |  |                   |  |                                                  |  |
| 03 029                                                                              |  | PAPI 3.0° 49FT LIRL PTBL                                                                                                 |  |                   |  |                                                  |  |
| 209 21                                                                              |  | PAPI 3.0° 49FT LIRL PTBL                                                                                                 |  |                   |  |                                                  |  |
|                                                                                     |  |                                                                                                                          |  |                   |  |                                                  |  |
| <b>NOTES</b><br>1. AWIS (PHONE) 08 6216 2630<br>* 2. ML CEN 122.4 AVBL ABV 5,000FT. |  |                                                                                                                          |  |                   |  |                                                  |  |

Changes: MAG VAR.

OLWAD02-185

RNP RWY 03  
**ONSLOW, WA (YOLW)**

|                    |       |      |      |     |     |      |  |  |  |  |  |  |  |  |  |  |  |
|--------------------|-------|------|------|-----|-----|------|--|--|--|--|--|--|--|--|--|--|--|
| NM TO NEXT WPT     | OL2SF | 4    | 3    | 2   | 1.5 | RW03 |  |  |  |  |  |  |  |  |  |  |  |
| ALT (3° APCH PATH) | 1600  | 1340 | 1020 | 700 | 540 |      |  |  |  |  |  |  |  |  |  |  |  |

**MISSED APPROACH:**  
TURN LEFT,  
TRACK DCT TO OL2SH,  
THEN TRACK 196°.  
CLIMB TO 1600FT.

1. MAX IAS:  
INITIAL : 210KT.
2. CAUTION:  
WHEN R AREAS ACT.  
ACFT MAY REQUIRE  
CLEARANCE BEFORE  
COMMENCING PROC.
3. AWIS (PHONE)  
08 6216 2630



| CATEGORY  | A               | B | C               | D                 |
|-----------|-----------------|---|-----------------|-------------------|
| LNAV      | 540 (526 - 3.0) |   |                 | NOT<br>APPLICABLE |
|           |                 |   |                 |                   |
| CIRCLING  | 600 (577 - 2.4) |   | 700 (677 - 4.0) |                   |
| ALTERNATE | (1077 - 4.4)    |   | (1177 - 6.0)    |                   |

OLWGN01-185

USE QNH

RNP RWY 21  
ONSLOW, WA (YOLW)

27 NOV 2025



## NOTES

- MAX IAS:  
INITIAL : 210KT.
- CAUTION:  
WHEN R AREAS ACT.  
ACFT MAY REQUIRE  
CLEARANCE BEFORE  
COMMENCING PROC.
- AWIS (PHONE)  
08 6216 2630

| CATEGORY  | A               | B | C               | D              |
|-----------|-----------------|---|-----------------|----------------|
| LNAV      | 550 (536 - 3.0) |   |                 | NOT APPLICABLE |
| CIRCLING  | 600 (577 - 2.4) |   | 700 (677 - 4.0) |                |
| ALTERNATE | (1077 - 4.4)    |   | (1177 - 6.0)    |                |

Changes: MAG VAR, R852A, R852B REDESIGNATED M855A, M855B, EDITORIAL.

OLWGN02-185