








DME or GNSS ARRIVAL PROCEDURES PARABURDOO, WA (YPBO) Page 1

23 MAR 2023






Changes: UNICOM REMOVED.

PBODG01-174

DME or GNSS ARRIVAL PROCEDURES PARABURDOO, WA (YPBO) Page 2

23 MAR 2023

AWIS 135.6	FIA ML CEN 125.7	CTAF+AFRU 126.8	AFRU+PAL 126.8		Bearings are Magnetic Elevations in FEET AMSL
---------------	---------------------	--------------------	-------------------	--	--





USE QNH

RNP RWY 06

30 NOV 2023

PARABURDOO, WA (YPBO)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1860 (485-2.7)			
LNAV	2010 (635-3.6)			
CIRCLING *	2340 (934-2.4)		2500 (1094-4.0)	2570 (1164-5.0)
ALTERNATE	(1434-4.4)		(1594-6.0)	(1664-7.0)

- MAX IAS:
INITIAL : 210KT.
MAP TURN: 240KT.
- NO CIRCLING S OF RWY 06/24 BEYOND 3NM.
- COLOUR: SEE SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.



PBOGN01-177

USE QNH

RNP RWY 24

30 NOV 2023

PARABURDOO, WA (YPBO)



NOTES



CATEGORY	A	B	C	D
LNAV/VNAV	1910 (504-2.9)			
LNAV	2090 (684-3.9)			
CIRCLING *	2340 (934-2.4)		2500 (1094-4.0)	2570 (1164-5.0)
ALTERNATE	(1434-4.4)		(1594-6.0)	(1664-7.0)

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING S OF
RWY 06/24 BEYOND
3NM.
- COLOUR: SEE
SPEC NOTICES.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

PBOGN02-177

USE QNH

NDB-A or VOR-A
PARABURDOO, WA (YPBO)**23 MAR 2023****NOTES**

CATEGORY	A	B	C	D
CIRCLING *	2340 (934-2.4)	2500 (1094-4.0)	2570 (1164-5.0)	
ALTERNATE	(1434-4.4)	(1594-6.0)	(1664-7.0)	

- MAX IAS:
INITIAL : 210KT.
MAP TURN: 210KT.
HOLDING : 210KT.
- * NO CIRCLING S OF
RWY 06/24 BEYOND
3NM.
- COLOUR: SEE
SPEC NOTICES.



Changes: UNICOM REMOVED.

PBONB01-174

USE QNH

VOR RWY 06
PARABURDOO, WA (YPBO)

23 MAR 2023



NOTES

CATEGORY	A	B	C	D
S-I VOR/DME	2080 (705-4.0)			
CIRCLING*	2340 (934-2.4)	2500 (1094-4.0)	2570 (1164-5.0)	
ALTERNATE	(1434-4.4)	(1594-6.0)	(1664-7.0)	

- MAX IAS:
HOLDING: 210KT.
INITIAL : 210KT.
- NO CIRCLING S OF
RWY 06/24 BEYOND
3NM.
- COLOUR: SEE
SPEC NOTICES.



Changes: UNICOM REMOVED.

PBOV001-174

USE QNH

VOR RWY 24
PARABURDOO, WA (YPBO)

23 MAR 2023



CATEGORY	A	B	C	D
S-I VOR/DME	2100 (694-3.5)			
CIRCLING*	2340 (934-2.4)		2500 (1094-4.0)	2570 (1164-5.0)
ALTERNATE	(1434-4.4)		(1594-6.0)	(1664-7.0)

Changes: UNICOM REMOVED.

PBOV002-174