





USE QNH RNP RWY 09  
PORT HEDLAND / WODGINA, WA (YWGA)



|                    |      |      |       |      |      |      |     |      |  |  |  |  |
|--------------------|------|------|-------|------|------|------|-----|------|--|--|--|--|
| NM TO NEXT WPT     | 1.6  | 1    | ZA2WF | 4    | 3    | 2    | 1.4 | RW09 |  |  |  |  |
| ALT (3° APCH PATH) | 2600 | 2420 | 2100  | 1720 | 1410 | 1090 | 910 |      |  |  |  |  |

**MISSED APPROACH:**  
 TRACK DCT TO ZA2WH  
 THEN TRACK 095°  
 CLIMB TO 2600FT

IAF

IF  
ZA2WI

FAF  
ZA2WF

MAPt  
RW09

MAHF  
ZA2WH

**2600**

ZA2WA  
ZA2WB  
ZA2WC

**1900**

**1400**

MDA

MAPt

THR 09 ELEV 400

NM TO RW09

15.2

10.2

5.2

0

4.0

1. MAX IAS :  
INITIAL : 210KT

\*2. NO CIRCLING  
SOUTH OF  
RWY 09/27



| CATEGORY   | A              | B | C              | D                 |
|------------|----------------|---|----------------|-------------------|
| LNAV       | 910 (510-3.0)  |   |                | NOT<br>APPLICABLE |
|            |                |   |                |                   |
| CIRCLING * | 1010 (599-2.4) |   | 1110 (699-4.0) |                   |
| ALTERNATE  | (1099-4.4)     |   | (1199-6.0)     |                   |

WGAGN01-182

20 MAR 2025

USE QNH  
PORT HEDLAND / WODGINA, WA (YWGA)

RNP RWY 27



NOTES

1. MAX IAS : INITIAL : 210KT
- \*2. NO CIRCLING SOUTH OF RWY 09/27
3. **CAUTION:** BLASTING 15NM E OF RWY 09/27 REFER ERSA

| CATEGORY   | A              | B | C              | D                 |
|------------|----------------|---|----------------|-------------------|
| LNAV       | 960 (549-3.2)  |   |                | NOT<br>APPLICABLE |
| CIRCLING * | 1010 (599-2.4) |   | 1110 (699-4.0) |                   |
| ALTERNATE  | (1099-4.4)     |   | (1199-6.0)     |                   |

Changes: PAL+AA

WGAGN02-182