


7 SEP 2023





AD ELEV 15
31 26 09S 152 51 48EAERODROME CHART
PORT MACQUARIE, NSW (YPMQ)

Changes: NEW TWY, RELOCATE UNLIT WI, HELIPAD REMOVED, Editorial.

PMQAD01-176

8 NOV 2018

AWIS 128.45	FIA BN CEN 120.55	CTAF+AFRU 118.1	PAL 122.3		Bearings are Magnetic Elevations in FEET AMSL
----------------	----------------------	--------------------	--------------	--	--



Changes: Editorial.



PMQDG01-157

USE QNH

RNP RWY 03

12 JUN 2025

PORT MACQUARIE, NSW (YPMQ)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	480 (468-2.6)			NOT APPLICABLE
LNAV	680 (665-3.8)			
CIRCLING	850 (835-2.4)		1030 (1015-4.0)	
ALTERNATE	(1335-4.4)		(1515-6.0)	

1. MAX IAS:
INITIAL : 210KT.**CAUTION:**
HOLDING PATTERN
IS OVERLAID BY
TAREE RNP RWY 22.

Changes: WPT NAMING CONVENTION.



PMQGN01-183

USE QNH

RNP RWY 21

12 JUN 2025

PORT MACQUARIE, NSW (YPMQ)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		350 (335-1.9)		NOT APPLICABLE
LNAV		550 (535-3.0)		
CIRCLING	850 (835-2.4)		1030 (1015-4.0)	
ALTERNATE		(1335-4.4)	(1515-6.0)	

1. MAX IAS:
HOLDING: 210KT.
INITIAL : 210KT.
2. HOLDING PATTERN
OVERLAYS KEMPSEY
PROCEDURES.

Changes: INITIAL SEGMENT, WPT NAMING CONVENTION, MAGNETIC TRACKS.



PMQGN02-183

USE QNH

NDB-A

30 NOV 2023

PORT MACQUARIE, NSW (YPMQ)



NOTES

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING	850 (835-2.4)		1030(1015-4.0)	
ALTERNATE	(1335-4.4)		(1515-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: DELETED R574, Editorial.

PMQNB01-177