





| RWY              | AERODROME LIGHTING                                               |  |
|------------------|------------------------------------------------------------------|--|
|                  | TAXIWAY : BLUE EDGE<br>RL : AFRU+PAL 126.95, SDBY (15 SEC), PTBL |  |
| 18 182<br>002 36 | PAPI 3.0° 49FT LIRL<br>PAPI 3.0° 49FT LIRL                       |  |
| 09 092<br>272 27 | NIL<br>NIL                                                       |  |

NOTES

1. AWIS REQUIRES ONE ONE-SEC TRANSMIT PULSE.

GNSS ARRIVAL PROCEDURES  
ROMA, QLD (YROM)



21 MAR 2024



USE QNH

RNP RWY 18  
ROMA, QLD (YROM)

21 MAR 2024



## NOTES

| CATEGORY  | A              | B              | C | D                 |
|-----------|----------------|----------------|---|-------------------|
| LNAV/VNAV | 1400 (403-2.3) |                |   | NOT<br>APPLICABLE |
| LNAV      | 1600 (603-3.4) |                |   |                   |
| CIRCLING  | 1710 (683-2.4) | 1940 (913-4.0) |   |                   |
| ALTERNATE | (1183-4.4)     | (1413-6.0)     |   |                   |

 1. MAX IAS:  
 INITIAL : 210KT.



Changes: AFRU+PAL.

ROMGN01-178

USE QNH

RNP RWY 36  
ROMA, QLD (YROM)

21 MAR 2024



## NOTES

| CATEGORY  | A              | B | C              | D                 |
|-----------|----------------|---|----------------|-------------------|
| LNAV/VNAV | 1400 (399-2.2) |   |                | NOT<br>APPLICABLE |
| LNAV      | 1600 (599-3.4) |   |                |                   |
| CIRCLING  | 1710 (683-2.4) |   | 1940 (913-4.0) |                   |
| ALTERNATE | (1183-4.4)     |   | (1413-6.0)     |                   |

 1. MAX IAS:  
INITIAL : 210KT.



Changes: AFRU+PAL.

ROMGN02-178

USE QNH

NDB RWY 36  
ROMA, QLD (YROM)

21 MAR 2024



## NOTES

| CATEGORY  | A              | B | C              | D              |
|-----------|----------------|---|----------------|----------------|
| S-I NDB   | 1650 (649-3.7) |   |                | NOT APPLICABLE |
| CIRCLING  | 1710 (683-2.4) |   | 1940 (913-4.0) |                |
| ALTERNATE | (1183-4.4)     |   | (1413-6.0)     |                |

1. MAX IAS:  
INITIAL : 210KT.

Changes: AFRU+PAL.

ROMNB01-178