





RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY (25 SEC)	
07 070 250 25	PAPI 3.0° 49FT LIRL PAPI 3.0° 49FT LIRL	
11 115 295 29	LIRL LIRL	

NOTES

DME OR GNSS ARRIVAL PROCEDURES TENNANT CREEK, NT (YTNK)

16 JUN 2022





USE QNH

RNP RWY 07

8 SEP 2022

TENNANT CREEK, NT (YTNK)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1530 (326-1.8)			NOT APPLICABLE
LNAV	1750 (546-3.1)			
CIRCLING	1980 (744-2.4)		2080 (844-4.0)	
ALTERNATE	(1244-4.4)		(1344-6.0)	

1. MAX IAS:
INITIAL : 230KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX.

TNKGN01-172

NDB-A
TENNANT CREEK, NT (YTNK)

NDB-A

16 JUN 2022

AWIS 128.65 **FIA BN CEN 122.1** **CTAF+AFRU 126.7** **AFRU+PAL 126.7**

Bearings are Magnetic Elevations in FEET AMSL

TR	TURN	TIME	MIN ALT	DME LMT
354°	Left	1	3000	

Holding at TNK NDB

TNK NDB 272

25 NM MSA 3000

10 NM MSA 2600

Scale 1:500,000 5NM

AD ELEV 1236

[illegible]

NOTES

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING	1980 (744-2.4)		2080 (844-4.0)	
ALTERNATE	(1244-4.4)		(1344-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: MINIMAS, NOTES.



TNKNB01-171

USE QNH

VOR RWY 07

16 JUN 2022

TENNANT CREEK, NT (YTNK)



NOTES

- MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
S-I VOR/DME	1780 (576-3.3)			NOT APPLICABLE
S-I VOR	1820 (616-3.5)			
CIRCLING	1980 (744-2.4)		2080 (844-4.0)	
ALTERNATE	(1244-4.4)		(1344-6.0)	

Changes: MINIMAS, NOTES.

TNKVO01-171