






27 NOV 2025

USE QNH

RNP RWY 14
WOODIE WOODIE, WA (YWWI)



CATEGORY	A	B	C	D
LNAV	1420 (531-3.0)			NOT APPLICABLE
CIRCLING *	1610 (721-2.4)		1770 (881-4.0)	
ALTERNATE	(1221-4.4)		(1381-6.0)	

- NOTES
- *1. NO CIRCLING EAST OF RWY 14/32
 2. CAUTION: YCNF PROCS ADJACENT TO E

Changes: MAG VAR, EDITORIAL

WWIGN01-185

RNP RWY 32
WOODIE WOODIE, WA (YWWI)

FIA
ML CEN 134.5

CTAF
126.7

UNICOM
128.9

RNP APCH

Holding at XA2SC

TR IN	TURN	TIME	MIN ALT	DME LMT
049°	Right	1	2800	

AD ELEV 889
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW32	1.6	2	3	4	XA2SF	1					
ALT (3° APCH PATH)		1440	1570	1890	2210	2500	2800					

MISSED APPROACH:

TURN LEFT,
TRACK DCT TO XA2SH.
TRACK 140°.
CLIMB TO 2800FT.

THR 32 ELEV 889

NM TO RW32

MAHF XA2SH

MAPt RW32

FAF XA2SF

IF XA2SI

IAF

2800

XA2SA

XA2SB

XA2SC

140°

319°

3°

1830

2500

1700

2100

2600

0

2.8

4.9

9.9

14.9

MAPt

MDA

CATEGORY	A	B	C	D
LNAV	1440 (551-3.1)			NOT APPLICABLE
CIRCLING *	1610 (721-2.4)		1770 (881-4.0)	
ALTERNATE	(1221-4.4)		(1381-6.0)	

1. MAX IAS:
MAP TURN 210KT
- *2. NO CIRCLING
EAST OF RWY
14/32
3. CAUTION: YCNF
PROCS ADJACENT
TO E

WWIGN02-185