

**FLINDERS ISLAND****ELEV 34****AVFAX CODE 7012**

TAS

UTC +10

YFLI


400529S

1475934E

VAR 14 DEG E

CERT

AD OPR Flinders Council, PO Box 40, Whitemark, Flinders Island, TAS, 7255. Email: richard.harley@flinders.tas.gov.au: airport.operations@flinders.tas.gov.au. PH 03 6359 2144 (BH). ARO H24 0429 813 929. Website: www.flinders.tas.gov.au.

**REMARKS**

1. This AD is a Security Controlled Airport.
2. AD Charges apply, refer to website.

**HANDLING SERVICES AND FACILITIES**

AVGAS, JET A1. 24HR prior notice required CTC ARO. Overwing refuelling only. AH call-out fee may apply.

**PASSENGER FACILITIES**

HC/TX/AC/LG/RF/WC.

**APRONS AND TAXIWAYS**

TWY B MAX weight - 4,000KG.

**SURFACE MOVEMENT GUIDANCE**

RWY 32 fixed distance and TDZ markings displayed 20M to N.

**AERODROME OBSTACLES**

1. RWY 05 - Unlit fence 4.5FT ABV and 11M NE of RWS end.
2. RWY 32 - Unlit fence 5.3FT ABV and 11M NW of RWS end.
3. Group of trees BRG 051 DEG MAG 3,680M FM ARP. Infringes TKOF SFC by 14FT.
4. Lit OBST:
  - a. 399FT AMSL, BRG 087 MAG 2NM FM ARP.
  - b. 439FT AMSL, BRG 343 MAG 1.1NM FM ARP.
  - c. 499FT AMSL, BRG 310 MAG 2.5NM FM ARP.
  - d. 552FT AMSL, BRG 108 MAG 2.9NM FM ARP.
  - e. 653FT AMSL, BRG 342 MAG 1.7NM FM ARP.

**METEOROLOGICAL INFORMATION PROVIDED**

1. TAF CAT C, METAR/SPECI.
2. AWIS PH 03 6283 8601 - Report faults to BoM.
3. AWIS FREQ 134.4 (requires one-second pulse to activate) - Report faults to AD OPR.

**PHYSICAL CHARACTERISTICS**

05/23	047	35c	PCN 7 / F / B / 610 (88PSI) / T Sealed	WID 30	RWS 90
14/32	130	56c	PCN 7 / F / B / 610 (88PSI) / T Sealed	WID 30	RWS 90

**AERODROME AND APPROACH LIGHTING**

RWY 05/23	LIRL	AFRU+PAL 127.8	SDBY PWR AVBL
RWY 14/32	LIRL	AFRU+PAL 127.8	SDBY PWR AVBL

1. RWY edge light spacing: 05/23: 90M; 14/32: 90M.
2. RWY 23 and RWY 32: AFRU+PAL activation range may be reduced to the N due to high terrain.

**OTHER LIGHTING**

HBN	FLG 1 R	399FT AMSL BRG 087 MAG 2NM FM ARP.
HBN	FLG 1 R	552FT AMSL BRG 108 MAG 2.9NM FM ARP.
HBN	FLG 1 R	439FT AMSL BRG 343 MAG 1.1NM FM ARP.
HBN	FLG 1 R	653FT AMSL BRG 341 MAG 1.7NM FM ARP.
HBN	FLG 1 R	499FT AMSL BRG 310 MAG 2.5NM FM ARP.

1. SDBY PWR switchover time: 15 SEC.
2. TWY LGT: Blue edge.

**ATS AND AERODROME COMMUNICATION FACILITIES**

FIA MELBOURNE CENTRE 126.5 Circuit area

**LOCAL TRAFFIC REGULATIONS**

1. VHF transmissions of taxiing ACFT are subject to ground shielding. Extreme caution must be exercised.
2. Parking restrictions:
  - a. Bay 1 scheduled Air Transport Operation (ATO) only.
  - b. Bay 2 shared with RFDS, Air Ambulance and other ATO - contact ARO.
  - c. Bay 3 AVBL for itinerant ACFT above 5,700KG - contact ARO.
  - d. Light ACFT to park on grass APN adjacent to main APN.
  - e. TWY B and grass APN for private hanger ACFT only - contact ARO.
  - f. Fuel bay parking not permitted unless ACFT requiring fuel - contact ARO.
3. All ACFT ABV 5,700KG must use RWY end turning node.

**FLIGHT PROCEDURES**

1. Right hand circuits RQ when OPR on RWY 05 and 14.
2. Night landings not permitted RWY 23. Night takeoffs not permitted RWY 05.

**CTAF - AFRU 127.8****ADDITIONAL INFORMATION**

Bird and wallaby hazard exists.

**CHARTS RELATED TO THE AERODROME**

1. WAC 3556.
  2. Also refer to AIP Departure and Approach Procedures.
-